



www.ecodense.com.en



ECODENSE BOILER ACCUMULATION TANK

Features:

- 18kg/m³ density soft polyurethane (sponge)
 Uninterrupted hot High efficiency with 80mm insulation thickness, heater possibility,
- WRAS (drinkable water) certified titanium doped enamel,
- Easy thanks to the cleaning flange integrated in the tank and hygienic care advantage,
- Integrated design with thermometer,
- Maximum operating temperature up to 95°C possibility,
- 10 Bar working pressure / 13 Bar test pressure,

- Uninterrupted hot water with optional electric heater possibility,
- Cathodic protection with magnesium anode rod,
- 100, 160, 200, 300, 500, 800, 1000, 1500, 2000,
 11 different widths as 2500 and 3000 Litres capacity option,
- Condensing boiler, Conventional Burner and Heat Use in heating systems such as pump appropriate,
- Compact design makes it easy to use in any environment convenient use option,



ECODENSE BOILER ACCUMULATION TANK

PRODUCT		CAPACITY										
		100L	160L	200L	300L	500L	800L	1000L	1500L	2000L	2500L	3000L
Cold/Hot Water Inlet-Outlet Diameter	inch	3/4"	3/4"	3/4"	1"	1"	11/4"	11/4"	11/4"	11/4"	11/4"	11/4"
Re-Circulation Line Diameter	inch	3/4"	3/4"	3/4"	1"	1"	11/4"	11/4"	11/4"	11/4"	11/4"	11/4"
Anode Connection Diameter	inch	11/4"	11/4"	11/4"	11/4"	11/4"	11/4"	11/4"	11/4"	11/4"	11/4"	11/4"
Cleaning Lid	inch	4"	4"	4"	4"	4"	5"	5"	5"	5"	5"	5"
Resistance Connection	inch	11/4"	11/4"	11/4"	11/4"	11/4"	2"	2"	2"	2"	2"	2"
Insulation Thickness	mm	50	50	50	50	50	80	80	80	80	80	80
Product Dimensions	mm	Ø500X1110	ø600ø1060	Ø600X1300	Ø700X1380	Ø750X1900	Ø1020x1660	Ø1020x1970	Ø1130x2340	Ø1270x2390	Ø1200x2510	Ø1450x2630

ECDCE BOILER



Termo Isı Sistemleri San.ve Tic. Aş.

Head Office;

Esentepe mah. Milangaz Cad. No: 75 Kat: 3 Monumento Plaza Kartal / İstanbul / Türkiye

 Phone:
 +90 216 442 9300(pbx)

 Fax:
 +90 216 370 45 03

 E-mail:
 info@ecostar.com.tr

Factory;

Türkgücü OSB Bülent Ecevit Bulvarı No: 11 Çorlu / Tekirdağ / Türkiye Phone: +90 282 685 44 80/81

Update and Issue: March 2022

**Company reserves the right to make changes both on the documentation and products in order to improve them. Therefore, this brochure/catalog does not make a commitment for the technical specifications.

This data can not be used and reproduced without the permission of Termo isi Sistemleri Ticaret ve Sanayi AS.

www.ecodense.com.en